

REPORT DOCUMENTATION PAGE			Form Approved OMB No. 0704-0188	
<small>Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.</small>				
1. AGENCY USE ONLY (Leave Blank)		2. REPORT DATE 4 Oct 99		3. REPORT TYPE AND DATES COVERED Final Report 30Sep95-1Jun98
4. TITLE AND SUBTITLE Final Report Memorandum for Contract # N00178-95-C-3073, Near-Real-Time Data Fusion, Phase II				5. FUNDING NUMBERS Contract # N00178-95-C-3073
6. AUTHOR(S) Dr. W. Reynolds Monach				
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Daniel H. Wagner Associates, Inc. 2 Eaton St., Suite 500 Hampton, VA 23669				8. PERFORMING ORGANIZATION REPORT NUMBER Case 6330 Final Report
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES) Mr. James P. Lynch, III, Code T308 Naval Surface Warfare Center 17320 Dahlgren Road Dahlgren, VA 22448-5100				10. SPONSORING/MONITORING AGENCY REPORT NUMBER
11. SUPPLEMENTARY NOTES				
12a. DISTRIBUTION/AVAILABILITY STATEMENT (see Section 5.3b of this solicitation) Approved for public release; distribution unlimited.				12b. DISTRIBUTION CODE
13. ABSTRACT (Maximum 200 words) <p>Report developed under SBIR contract for topic N93-084. In Phase I of this project, we explored several different approaches to Near-Real-Time Data Fusion (NRTDF), and in Phase II we developed the most promising architecture into a prototype NRTDF system. The system automatically extracts the maximum amount of information and produces the best possible tactical picture from the available data by accurately processing all relevant target data in near-real-time. In addition, we demonstrated that this system was capable of fusing large amounts of data in near-real-time using multiple-hypothesis and non-Gaussian data fusion techniques.</p> <p>As part of the project, with additional support from NAVAIR (PMA-299), we also developed a SH-60R Decision Support System Testbed (DSST) based on NRTDF.</p> <p>The DSST allows the operator to (1) set up a scenario, with the desired friendly, neutral, and hostile platforms, (2) feed the contacts produced by the friendly sensors into NRTDF, (3) produce a common tactical/operational picture using NRTDF, and (4) utilize an operationally oriented, "unbiased", and "honesty inducing" metric to measure the difference between the ground truth data and the common tactical/operational picture. We also developed a commercial version of the NRTDF system for use in transportation, manufacturing, retail, and security applications.</p>				
14. SUBJECT TERMS SBIR Report, Data Fusion, Sensor Management, Weapons Assignment, Search Optimization Testbed, Factory Tracking, Warehousing				15. NUMBER OF PAGES 6
				16. PRICE CODE
17. SECURITY CLASSIFICATION OF REPORT UNCLASSIFIED	18. SECURITY CLASSIFICATION OF THIS PAGE UNCLASSIFIED	19. SECURITY CLASSIFICATION OF ABSTRACT UNCLASSIFIED	20. LIMITATION OF ABSTRACT UL	

Standard form 298 (Rev. 2-89)
Prescribed by ANSI Std. Z39-18
298-102

DTIC QUALITY INSPECTED 4

Ref C



DANIEL H. WAGNER ASSOCIATES

INCORPORATED
CONSULTANTS

OPERATIONS RESEARCH • MATHEMATICS • SOFTWARE DEVELOPMENT
<http://www.wagner.com>

HQTRS AND PENNSYLVANIA OFFICE
SUITE 200
40 LLOYD AVENUE
MALVERN, PA 19355
610 644-3400
FAX: 610 644-6293

WASHINGTON OFFICE
SUITE 206
480 MAPLE AVENUE, EAST
VIENNA, VA 22180
703 938-2032
FAX: 703 258-4781

HAMPTON OFFICE
SUITE 500
2 EATON STREET
HAMPTON, VA 23669
757 727-7700
FAX: 757 722-0249

SANTA CLARA OFFICE
SUITE 400
4677 OLD IRONSIDES DRIVE
SANTA CLARA, CA 95054-1826
408 987-0600
FAX: 408 987-0606

October 4, 1999
Origination: Hampton
Case: 6330

FINAL REPORT MEMORANDUM

To: Mr. James P. Lynch, III
Naval Surface Warfare Center

From: W. Reynolds Monach

Subject: Final Report Memorandum for Contract # N00178-95-C-3073, Near-Real-Time Data Fusion, Phase II

1. Overall Description

Under certain time stressing situations, there is a need to fuse a large amount of data in a very short time. Such situations would include anti-ship missile defense, terminal homing, identification, kill recognition, and the like.

In Phase I of this project, we explored several different approaches to Near-Real-Time Data Fusion (NRTDF), and in Phase II we developed the most promising architecture into a prototype NRTDF system. The system automatically extracts the maximum amount of information and produces the best possible tactical picture from the available data by accurately processing all relevant target data in near-real-time. In addition, we demonstrated that this system was capable of fusing large amounts of data in near-real-time using multiple-hypothesis and non-Gaussian data fusion techniques.

As part of the project, with additional support from NAVAIR (PMA-299), we also developed a SH-60R Decision Support System Testbed (DSST) based on NRTDF, which is illustrated in Figure 1.

19991008 034




Figure 1. Decision Support System Testbed (DSST)

The DSST allows the operator to (1) set up a scenario, with the desired friendly, neutral, and hostile platforms, (2) feed the contacts produced by the friendly sensors into NRTDF, (3) produce a common tactical/operational picture using NRTDF, and (4) utilize an operationally oriented, “unbiased”, and “honesty inducing” metric to measure the difference between the ground truth data and the common tactical/operational picture.

We also developed a commercial version of the NRTDF system for use in transportation, manufacturing, retail, and security applications.

2. Specific Project Technical Results

We developed a NRTDF system which:

- Handles high data rates, on the order of 1000 contacts per second
- Includes new high speed communications modules to allow NRTDF to transfer data between Unix workstations at data rates greater than 1000 contacts per second
- Includes an input process which determines which correlation processes may be used and how incoming data will be processed
- Includes a track update process which automatically updates tracks, thus moving a significant portion of the multiple-hypothesis module workload to another processor
- Includes, in the full database correlation process, a new multiple-hypothesis correlation algorithm which greatly speeds up the process of determining which contact-to-track associations are feasible by efficiently partitioning the tactical database

- Includes, in the full database correlation process, a technique for allowing the Non-Gaussian Data Fusion Module of NRTDF to take advantage of any number of available Unix processors (currently implemented on SUN and HP workstations)
- Operates in near-real-time
- Processes all relevant threat data:
 - “positive” data from sensor contacts and intelligence sources
 - “negative” information from sensors operating and not obtaining contacts in areas of interest
 - target motion information
- Processes this data as accurately as possible, using:
 - multiple-hypothesis algorithms
 - Bayesian inference methods
 - Gaussian (Kalman filter) and non-Gaussian (high fidelity Monte Carlo) tracking algorithms

We also developed a scenario data generator with a graphical interface to allow the user to easily develop test scenarios for NRTDF (this interface is shown in Figure 2).




Figure 2. DSST Data Generator Graphical User Interface

In addition, we:

- Tested NRTDF using both simulated and actual sensor data (a sample raw and correlated data display is shown in Figure 3).

- Developed and tested a Measures of Performance (MOPs) Module which allows the user to analyze the difference, both kinematic and non-kinematic, between ground truth and the tactical database produced by NRTDF (a sample graphical metric display is shown in Figure 4).





Figure 3. GCE/NRTDF Example Raw and Correlated Data Display (Scenario is SH-60R Surveillance of Strait of Hormuz)



We also developed a commercial version of the NRTDF system (Factory Tracker™) for use in manufacturing, retail, and security applications and tested it with video data obtained from industrial test sites.

3. Navy, DoD, and Commercial Transition Results

Used DSST, working with John Hopkins University-Applied Physics Laboratory, to study DSS/SH-60R integration issues for NAVAIR.

Used the DSST as the basis for the Acoustic Mission Planning (APM) module which will be integrated into the SH-60R combat system and the SH-60R shipboard mission planning system.

Developed a SPY-1 radar energy resource allocation algorithm for tactical ballistic missile defense based on NRTDF resource allocation algorithms.

Developed a version of NRTDF for tracking land targets for NSW-DD/U.S. Marine Corps.

Designed a NRTDF based resource allocation system for use in counter-narcotics operations for JIATF-East.

W. Reynolds Monach
W. Reynolds Monach